

---

# Appendix V

## Medications & Sexual Function

### Decreased Sexual Desire

#### Antihypertensive Medications

amiloride (Midamore)\*\*  
benazepril (Lotensin)  
**chlorthalidone (Hygroton, Thalidone)\*\*\***  
clonidine (Catapres)\*\*  
**guanadrel (Hylarel)\*\*\***  
**guanethidine (Ismelin)\*\*\*\***  
indapamide (Lozol)  
labetalol (Normodyne, Trandate)\*  
lisinopril (Prinivil, Zestril)\*\*  
mecamylamine (Inversine)\*  
**methyldopa (Aldomet) (men and women)\*\*\***  
metoprolol (Lopressor, Toprol XL)\*  
propanolol (Inderal) (men and women)\*\*  
**reserpine (men and women)\*\*\***  
**spironolactone (Aldactone) (men and women)\*\*\***  
timolol (Blocadren) (men and women)\*

#### Antidepressants

amoxapine (Ascendin)\*  
bupropion (Wellbutrin)\*\*  
**clomipramine (Anafranil) (men and women)\*\*\*\***  
desipramine (Norpramin, Pertofrane)\*  
doxepin (Adapin, Sinequan)  
**fluoxetine (Prozac)\*\*\***  
imipramine (Tofranil, Janimine)\*

\*Case report(s), package insert, or uncertain frequency.

\*\*Infrequent side effect.

\*\*\*Frequent side effect.

\*\*\*\*Very frequent side effect.

Note: Medications and their accompanying side effects that are cited frequently as causing sexual disorders are in bold type.  
Adapted from: Finger WW, Lund M, Slagle MA: Medications that may contribute to sexual disorders: a guide to assessment and treatment in family practice, *J Fam Pract* 44:33-43, 1997.

maprotiline (Ludiomil)\*  
nortriptyline (Aventyl, Pamelor)\*  
phenelzine (Nardil)\*  
protriptyline (Vivactil)  
tranylcypromine (Parnate)\*

#### Other Psychiatric Medications

alprazolam (Xanax)\*\*  
**barbiturates**  
buspirone (BuSpar)\*\*  
chlorpromazine (Thorazine)\*  
clonazepam (Klonopin)  
diazepam (Valium, Zetran)  
**fluphenazine (Prolixin, Permitil)\*\*\*\***  
lithium (Eskalith, Lithonate)\*  
lorazepam (Ativan)\*  
oxazepam (Serax)\*  
pimozone (Orap)\*

#### Miscellaneous Medications

acetazolamide (Diamox, Ak-Sol)\*  
amiodarone (Cordarone)\*  
carbamazepine (Tegretol, Atretol, etc)  
cimetidine (Tagamet) (men and women)\*  
clofibrate (Atromid-S)  
cyclobenzaprine (Flexeril)  
**danazol (Danocrine)\*\*\***  
dichlorphenamide (Daranide)\*  
**digoxin (Lanoxin)\*\*\***

**ethinyl estradiol (Estinyl)\*\*\***

fenphluramine (Fastin) (frequent in women with large doses or long-term use)\*

gemfibrozil (Lopid)

glycopyrrolate (Robinul)\*

hydroxyzine (Atarax, Anxanil, Vistaril)

interferon

**ketoconazol (Nizoral)\*\*\***

medroxyprogesterone (Depo-Provera, Amen, Cycrin, etc)\*

**methadone (Dolophine)\*\*\*\***

methazolamide (Neptazane) (men and women)\*

metoclopramide (Reglan)\*

metronidazole (Flagyl, Protostat)\*

mexiletine (Mexitil)

morphine (MS Contin, Roxanol)

**niacin (Nicolar, Niacor, Nicobid)\*\*\***

norethindrone (Norlutin)

phendimetrazine (Adphen, Bacarate, Anorex, Statobex)\*

phenobarbital

phenytoin (Dilantin)

primidone (Mysoline)

ranitidine (Zantac)

**Illicit and Abused Drugs**

barbituates

diazepam (Valium)

marijuana

MDMA\*\*

methaqualone (in women)\*

morphine (MS Contin, Roxanol)

**Nonprescription Medications**

cimetidine (Tagamet HB) (men and women)\*

diphenhydramine (Benadryl, Genahist, Nordryl, etc)

**niacin (Nicolar, Niacor, Nicobid)\*\*\***

ranitidine (Zantac 75)

**"Sexual Disinhibition"**

propofol (Diprivan)\*

prochlorperazine (Compazine)

**"Changes In Sexual Desire"**

**"Sexual Desire Disorder"**

alcohol (both acute and chronic effects)\*\*\*

**Increased Sexual Desire**

amphetamines (may increase desire at low dose)

cyclobenzaprine (Flexeril)

**danazol (Danocrine)\*\*\***

ethosuximide (Zarontin)\*

physostigmine (Antilirium)\*

**levodopa (Larodopa, Dopar)\*\*\*\***

trazodone (Desyrel)

**Erectile Disorder**

**Antihypertensive Medications**

amiloride (Midamore)\*\*

atenolol (Tenormin)\*\*\*

benazepril (Lotensin)\*

chlorthalidone (Hygroton, Thalitone)\*\*\*

clonidine (Catapres)\*\*\*\*

diltiazem (Cardizem, Dilacor XR)\*

enalapril (Vasotec)\*\*

guanabenz (Wytensin)\*\*\*

guanadrel (Hylored)\*\*\*

guanethidine (Ismelin)\*\*\*\*

hydralazine (Apresoline)\*

hydrochlorothiazide (Esidrix, HydroDIURIL),

Oretic)\*\*\*\*

indapamide (Lozol)\*\*

labetalol (Normodyne, Trandate)\*\*\*\*

lisinopril (Prinivil, Zestril)\*\*

mecamylamine (Inversine)\*

**methyldopa (Aldomet)\*\*\***

metoprolol (Lopressor, Toprol XL)\*

metyrosine (Demser)\*\*

minoxidil (Loniten)\*

nifedipine (Procardia, Adalat)\*\*

phentolamine (Regitine)\*

pindolol (Visken)\*  
 prazosin (Minipress)\*\*  
**propanolol (Inderal)\*\*\*\***  
**reserpine\*\*\***  
**spironolactone (Aldactone)\*\*\***  
 timolol (Blocadren)\*  
 trimethaphan (Afonad)  
 verapamil (Calan, Isoptin, Verelan)\*

### Antidepressants

amoxapine (Asendin)\*\*\*  
 bupropion (Wellbutrin)\*\*  
 desipramine (Norpramin, Pertofrane)\*  
**impramine (Tofranil, Janamine)\*\*\***  
 maprotiline (Ludiomil)\*  
 nortriptyline (Aventyl, Pamelor)\*  
 paroxetine (Paxil)  
 phenelzine (Nardil)\*  
 protriptyline (Vivactil)  
 tranylcypromine (Parnate)\*\*  
 venlafaxine (Effexor)\*\*

### Other Psychiatric Medications

barbiturates  
 buspirone (BuSpar)\*  
 chlordiazepoxide (Librium, Mitran, Reposans-10)  
**chlorpromazine (Thorazine)\*\*\***  
**chlomipramine (Anafranil)\*\*\*\***  
 clonazepam (Klonopin)  
 droperidol (Inapsine)\*  
**fluphenazine (Prolixin, Permitil)\*\*\*\***  
 Haloperidol (Haldol)\*  
**lithium (Eskalith, Lithonate)\*\*\***  
 meprobamate (Equanil, Miltown)\*  
 mesoridazine (Serentil)\*  
**pimozide (Orap)\*\*\***  
 prochlorperazine (Compazine)  
**sulpiride (Supril, Sulpitil)\*\*\***  
**thioridazine (Mellaril)\*\*\*\***  
 thiothixine (Navane)

### Miscellaneous Medications

acetazolamide (Diamox, Ak-Sol)\*\*\*  
 amiodarone (Cordarone)\*  
 atropine\*  
 baclofen (Lioresal)

benztropine (Cogentin)\*  
 biperiden (Akineton)\*  
 bromocriptine (Parlodel)\*  
**carbamazepine (Tegretol, Atretol, etc)\*\*\***  
 cimetidine (Tagamet)\*\*\*  
 clinidium (Quarzan)\*  
**clofibrate (Atromid-S)\*\*\***  
 cyclobenzaprine (Flexeril)  
**dichlorphenamide (Daranide)\*\*\***  
 dicyclomine (Bentyl, Di-Spaz, etc)\*  
**digoxin (Lanoxin)\*\*\***  
 diopyramide (Norpace)\*\*  
 disulfiram (Antabuse)  
 ethionamide (Trecator-SC)\*  
 etretinate (Tegison)\*  
 famotidine (Pepsid)\*\*  
 fenfluramine (Fastin)\*\*  
 furazolidone (Furoxone)\*  
 gemfibrozil (Lopid)\*  
 homatropine methylbromide (Homapin, Equipin, Lantro)\*  
**hydrochlorthiazide (Esidrix, HydroDIURIL, Oretic, etc)\*\*\*\***  
 hydroxyzine (Atarax, Anxanil, Vistaril)\*  
 indomethacin (Indocin)\*  
 interferon\*  
**ketoconazole (Nizoral)\*\*\*\***  
 mazindol (Mazanor, Sanorex)\*  
 meclizine (Antivert, Bonine)\*  
 medroxyprogesterone (Depo-Provera, Amen, Cycrin, etc)\*  
**methadone (Dolophine)\*\*\*\***  
**methazolamide (Neptazane)\*\*\***  
 methotrexate (Folex, Rheumatrex)\*  
 methysergide (Sansert)\*  
 metoclopramide (Reglan)\*  
 mexiletine (Mexitil)\*  
 morphine (MS Contin, Roxanol)  
 naproxen (Anaprox, Naprelan, Naprosyn)  
 nizatidine (Axid)  
**norethindrone (Norlutin)\*\*\***  
 omeprazole (Prilosec)\*  
 orphenadrine (Flexon, Flexoject, Norflex, Myolin)\*  
 oxybutynin (Ditropan)\*  
 phendimetrazine (Adphen, Bacarate, Anorex,

Statobex)  
**phenobarbital\*\*\***  
phentermine (Fastin, Lonamin)  
phentolamine (Regitine)\*  
**phenytoin (Dilantin)\*\*\***  
**primidone (Mysoline)\*\*\***  
probucol (Lorelco)  
procarbazine (Matulane)\*  
prochlorperazine (Compazine)  
procyclidine (Kemadrin)\*  
propantheline bromide (Pro-Banthine)\*  
ranitidine (Zantac)\*  
scopolamine (Transderm-Scop)\*  
sulfasalazine (Azulfidine)\*  
**thiabendazole (Mintezol)\*\*\***  
trihexyphenidyl (Artane)\*

### Illicit And Abused Drugs

alcohol\*\*\*  
amphetamines\*\*  
amyl nitrite  
**barbiturates**  
cocaine\*\*\*  
**MDMA\*\*\*\***  
methaqualone  
morphine  
tobacco\*\*

### Nonprescription Medications

antihistamines\*  
**cimetidine (Tagamet HB)\*\*\***  
dimenhydrinate (Dramamine, Marmine, Calm-X,  
etc)\*  
diphenhydramine (Benadryl, Genahist, Nordryl,  
etc)\*  
famotidine (Pepcid AC)\*\*  
naproxen (Aleve)  
ranitidine (Zantac 75)\*

### Orgasm/Ejaculation Disorder In Men: Delayed or Absent<sup>†</sup>

#### Antihypertensive Medications

clonidine (Catapres)\*\*  
**guanadrel (Hyoirel)\*\*\***  
**guanethidine (Ismelin)\*\*\*\***  
**labetalol (Normodyne, Trandate)\*\*\*\***  
**methyldopa (Aldomet)\*\*\***  
metyrosine (Demser)\*\*  
**phenoxybenzamine (Dibenzyline)\*\*\***  
prazosin (Minipress)  
**reserpine\*\*\***  
trimethaphan (Arfonad)\*

#### Antidepressants

amoxapine (Asendin)\*  
desipramine (Norpramin, Pertofrane)\*  
doxepin (Adapin, Sinequan)\*  
**fluoxetine (Prozac)\*\*\*\***  
**imipramine (Tofranil, Janimine)**  
**phenelzine (Nardil)\*\*\***  
**sertraline (Zoloft)\*\*\*\***  
trazodone (Desyrel)\*  
trimipramine (Surmontil)\*  
venlafaxine (Effexor)\*\*\*

#### Other Psychiatric Medications

**alprazolam (Xanax)\*\*\***  
**barbiturates\*\*\***  
buspirone (BuSpar)\*  
chlordiazepoxide (Librium, Mitran,  
Reposans-10)\*  
chlorpromazine (Thorazine)\*  
**clomipramine (Anafranil)\*\*\*\***  
clonazepam (Klonapin)\*  
diazepam (Valium, Zetran)  
fluphenazine (Prolixin, Permitil)\*  
haloperidol (Haldol)\*  
mesoridazine (Serentil)\*  
**perphenazine (Trilafon)\*\*\*\***  
pimozide (Orap)\*  
prochlorperazine (Compazine)

<sup>†</sup>Information on orgasm/ejaculation is often not presented as gender-specific (versus information on orgasm in women).

thioridazine (Mellaril)\*\*\*\*  
trifluoperazine (Stelazine)\*

### Miscellaneous Medications

aminocaproic acid (Amicar)\*  
baclofen (Lioresal)\*\*  
isotretinoin (Accutane)\*  
**methadone (Dolophine)\*\*\*\***  
methotrexate (Folex, Rheumatrex)\*  
naproxen (Anaprox, Naprelan, Naprosyn)\*  
phendimetrazine (Adphen, Bacarate, Anorex, Statobex)  
phentermine (Fastin, Ionamin)  
prochlorperazine (Compazine)  
trimeprazine (Temaril)\*

### Illicit And Abused Drugs

alcohol: acute effects\*\*\*  
amphetamines: low dose\*, high doses and chronic use\*\*\*  
amyl nitrite\*  
**barbiturates\*\*\***  
cocaine  
diazepam (Valium)  
**MDMA\*\*\*\***  
methaqualone\*

### Nonprescription Medications

naproxen (Aleve)\*

### Interference With Orgasm in Women<sup>†</sup>

amphetamines\*  
clonidine (Catapres)\*\*

diazepam (Valium, Zetran)\* (cited frequently when abused)  
**imipramine (Tofranil, Janamine)\*\*\***  
**methadone (Dolophine)\*\*\*\***  
**methyldopa (Aldomet)\*\*\***  
phendimetrazine (Adphen, Bacarate, Anorex, Statobex)\*  
**phenelzine (Nardil)\*\*\***  
phentermine (Fastin, Ionamin)\*

### Priapism

buspirone (BuSpar)\*  
chlorpromazine (Thorazine)\*\*  
clozapine (Clozaril)\*  
**cocaine\***  
fluphenazine (Prolixin, Permitil)\*  
heparin\*  
hydralazine (Apresoline)\*  
labetalol (Normodyne, Trandate)\*  
mesoridazine (Serentil)\*  
molindone (Maban)\*  
omeprazole (Prilosec)\*  
perphenazine (Trilafon)\*  
prazosin (Minipress)\*  
prochlorperazine (Compazine)\*  
risperidone (Risperdal)\*  
tamoxifen (Nolvadex)\*  
testosterone\*  
thioridazine (Mellaril)\*  
thiothixene (Navane)\*  
**trazodone (Desryl)\*\*\***  
trifluoperazine (Stelazine)\*

<sup>†</sup>Information on orgasm/ejaculation is often not presented as gender-specific (versus information on orgasm in women).